





Pressed bends BFU 90




DN [mm]	BFU [Item number]	L [mm]	H [mm]	Weight [kg]	Packing	Multipack
100	FIT000324	100	36	0,4	P2	110
125	FIT000325	125	36	0,5	P2	60

Pressed bends BFU 45




DN [mm]	BFU [Item number]	L [mm]	H [mm]	Weight [kg]	Packing	Multipack
100	FIT000322	100	36	0,2	P4	90
125	FIT000323	125	36	0,3	P2	100

* - on request.

Segment bends BFU 90


DN [mm]	BFU [Item number]	L [mm]	H [mm]	Weight [kg]	Packing	Multipack
150	FIT000015	150	36	0,7		
160	FIT000016	160	36	0,7		
180	FIT000017	180	36	0,7		
200	FIT000018	200	36	1,1		
250	FIT000019	250	36	1,7		
315	FIT000020	315	42	2,5		
355	FIT001002	355	42	4,2		
400	FIT000021	400	70	5,3		
450	FIT001003	450	70	6,5		
500	FIT000372	500	70	8,8		
560	FIT001004	560	70	9,7		
630	FIT000803	630	70	13,8		
710	FIT001005	710	70	15,2		
800	FIT001006	800	70	20,2		


Segment bends BFU 45


DN [mm]	BFU [Item number]	L [mm]	H [mm]	Weight [kg]	Packing	Multipack
160	FIT000011	66	36	0,5		
200	FIT000012	83	36	0,6		
250	FIT000013	103	36	1,0		
315	FIT000014	130	36	1,5		
355	FIT000997	147	42	2,5		
400	FIT000366	165	70	3,3		
450	FIT000998	186	70	3,7		
500	FIT000370	207	70	5,0		
560	FIT000999	231	70	5,4		
630	FIT000744	260	70	7,0		
710	FIT001000	293	70	8,2		
800	FIT001001	330	70	10,9		

* - other diameters on request.




Segment bends BFU 30



DN [mm]	BFU [Item number]	L [mm]	H [mm]	Weight [kg]	Packing	Multipack
125	FIT000741	34	36	0,3		
250	FIT001307	43	42	1,2		


Segment bends BFU 15



DN [mm]	BFU [Item number]	L [mm]	H [mm]	Weight [kg]	Packing	Multipack
125	FIT000740	17	30	0,2		
160	FIT001305	21	30	0,3		
250	FIT001306	33	40	0,6		


* - other diameters on request.

Segment bends BF 90



DN [mm]	BF [Item number]	L [mm]	H [mm]	Weight [kg]	Packing	Multipack
160	FIT000005	160	36	0,7		
200	FIT000006	200	36	1,0		
250	FIT000007	250	36	1,6		
315	FIT000008	315	36	2,4		
355	FIT000009	355	42	4,1		
400	FIT000010	400	70	5,2		

Segment bends BF 45




DN [mm]	BF [Item number]	L [mm]	H [mm]	Weight [kg]	Packing	Multipack
160	FIT000001	66	36	0,5		
200	FIT000002	83	36	0,6		
250	FIT000003	103	36	1,0		
315	FIT000004	130	36	1,5		
355	FIT000901	147	42	2,4		
400	FIT000426	165	70	3,2		

* - other diameters on request.




Reducer segment RCLU



RCLU [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	L2 [mm]	L3 [mm]	Pressed / Segment	Weight [kg]	Packing	Multipack
FIT000142	180	160	30	30	50	Segment	0,5		
FIT001291	200	100	30	30	167	Segment	0,6		
FIT000144	200	150	30	30	80	Segment	0,6		
FIT001290	250	100	40	30	236	Segment	1,0		
FIT001289	250	125	40	30	202	Segment	0,9		
FIT000148	250	150	40	30	150	Segment	0,9		
FIT001288	250	160	40	30	154	Segment	0,9		
FIT001292	315	160	40	30	243	Segment	1,3		
FIT001287	315	200	40	30	188	Segment	1,2		
FIT001014	355	160	40	30	298	Segment	1,9		
FIT001015	355	200	40	30	243	Segment	1,8		
FIT000153	355	250	40	40	174	Segment	1,2		
FIT000154	355	315	40	40	85	Segment	1,3		
FIT001286	400	160	40	30	365	Segment	2,3		
FIT001285	400	200	40	30	310	Segment	2,2		
FIT001284	400	250	40	40	241	Segment	2,1		
FIT001283	400	315	70	40	152	Segment	1,8		
FIT000156	400	355	70	40	150	Segment	1,9		
FIT001017	450	200	70	30	385	Segment	2,8		
FIT001018	450	250	70	40	308	Segment	2,6		
FIT000157	450	315	70	40	186	Segment	2,1		
FIT000158	450	400	70	70	118	Segment	2,3		
FIT001019	500	200	70	30	447	Segment	3,4		
FIT000789	500	250	70	40	378	Segment	3,2		
FIT000159	500	315	70	40	289	Segment	3,0		
FIT001020	500	355	70	40	289	Segment	3,0		
FIT000160	500	400	70	70	177	Segment	2,6		
FIT000161	500	450	70	70	142	Segment	2,5		
FIT001021	630	315	70	40	468	Segment	4,6		
FIT001022	630	355	70	40	423	Segment	4,5		
FIT001023	630	400	70	70	356	Segment	4,9		
FIT001024	630	450	70	70	277	Segment	3,7		
FIT000941	630	500	70	70	219	Segment	4,0		
FIT001025	630	560	70	70	152	Segment	2,9		
FIT001026	800	400	70	70	594	Segment	9,0		
FIT001027	800	450	70	70	450	Segment	6,3		
FIT001028	800	500	70	70	457	Segment	8,0		
FIT001029	800	560	70	70	310	Segment	5,3		
FIT001030	800	630	70	70	279	Segment	6,5		

* - other diameters on request.

Reducer pressed RCLU




RCLU [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	L2 [mm]	L3 [mm]	Pressed / Segment	Weight [kg]	Packing	Multipack
FIT000137	125	100	30	30	93	Pressed	0,3		
FIT000140	160	100	30	30	110	Pressed	0,3		
FIT000141	160	125	30	30	98	Pressed	0,3		
FIT000788	200	125	30	30	118	Pressed	0,4		
FIT000145	200	160	30	30	100	Pressed	0,4		
FIT000150	250	200	40	30	123	Pressed	0,8		
FIT000152	315	250	40	40	143	Pressed	0,8		

* - other diameters on request.




Reducer segment RCL



RCL [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	L2 [mm]	L3 [mm]	Pressed / Segment	Weight [kg]	Packing	Multipack
FIT000951	200	100	30	30	167	Segment	0,5		
FIT000133	250	160	40	30	154	Segment	0,9		
FIT000135	315	200	40	30	188	Segment	1,2		
FIT000896	355	315	40	40	85	Segment	1,2		
FIT000451	400	315	70	40	152	Segment	1,8		
FIT001106	400	355	70	40	150	Segment	1,8		
FIT000914	630	355	70	40	423	Segment	4,4		


Reducer pressed RCL



RCL [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	L2 [mm]	L3 [mm]	Pressed / Segment	Weight [kg]	Packing	Multipack
FIT000897	125	100	30	30	93	Pressed	0,2		
FIT000132	160	100	30	30	110	Pressed	0,3		
FIT000448	160	125	30	30	98	Pressed	0,3		
FIT000939	200	125	30	30	118	Pressed	0,4		
FIT000450	200	160	30	30	100	Pressed	0,4		
FIT000134	250	200	40	30	123	Pressed	0,8		
FIT000136	315	250	40	40	143	Pressed	0,7		

* - other diameters on request.

Reducer RLU



RCL [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	L2 [mm]	L3 [mm]	Weight [kg]	Packing	Multipack
FIT001282	125	100	30	30	64	0,2		
FIT001281	160	100	30	30	112	0,4		
FIT001280	160	125	30	30	78	0,4		
FIT001279	200	100	30	30	167	0,6		
FIT001278	200	125	30	30	133	0,6		
FIT001277	200	160	30	30	85	0,5		
FIT000785	250	100	40	30	236	0,9		
FIT001276	250	125	40	30	202	0,9		
FIT001275	250	160	40	30	154	0,9		
FIT001274	250	200	40	30	99	0,9		
FIT000786	315	125	40	30	291	1,3		
FIT001273	315	160	40	30	243	1,2		
FIT001272	315	200	40	30	188	1,2		
FIT001271	315	250	40	40	119	1,2		
FIT001270	400	160	70	30	365	2,3		
FIT001269	400	200	70	30	310	2,2		
FIT001268	400	250	70	40	241	2,1		
FIT001267	400	315	70	40	152	1,9		
FIT001034	500	250	70	40	378	3,2		
FIT001035	500	315	70	40	289	3,0		
FIT001036	500	355	70	40	180	2,5		
FIT000169	500	400	70	70	177	2,7		
FIT001037	500	450	70	70	80	2,0		
FIT001038	560	315	70	70	320	3,8		
FIT001039	560	355	70	70	280	3,7		
FIT001041	560	400	70	70	220	3,3		
FIT001042	560	450	70	70	170	2,9		
FIT001043	560	500	70	70	100	2,4		
FIT001044	630	315	70	40	468	5,3		
FIT001045	630	355	70	40	350	4,6		
FIT001046	630	400	70	70	356	4,9		
FIT001047	630	450	70	70	240	3,9		
FIT001048	630	500	70	70	219	4,0		
FIT001049	630	560	70	70	110	2,8		
FIT001050	800	400	70	70	594	9,0		
FIT001051	800	450	70	70	450	12,0		
FIT001052	800	500	70	70	457	8,0		
FIT001053	800	560	70	70	430	12,2		
FIT001054	800	630	70	70	279	6,5		
FIT001055	800	710	70	70	150	6,9		

* - other diameters on request.







STP |

Reducer, Rect-to-round





Saddle with sealing segment BAU



BAU [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	H1 [mm]	H2 [mm]	Radius [R]	Pressed / Segment	Weight [kg]	Packing	Multipack
FIT000790	315	100	160	62	42	-	Segment	0,2		
FIT000791	315	125	185	62	42	-	Segment	0,3		
FIT000035	315	200	300	62	42	-	Segment	0,6		
FIT000036	315	250	350	62	42	-	Segment	0,7		
FIT001266	315	315	415	62	42	-	Segment	1,2		
FIT000793	400	160	260	62	42	-	Segment	0,5		
FIT000038	400	200	300	62	42	-	Segment	0,6		
FIT000039	400	250	350	62	42	-	Segment	0,7		
FIT000040	400	315	415	62	42	-	Segment	0,9		
FIT000974	400	355	455	62	42	-	Segment	1,2		
FIT001264	400	400	500	75	55	-	Segment	1,5		
FIT000794	500	160	260	62	42	-	Segment	0,4		
FIT000042	500	200	300	62	42	-	Segment	0,5		
FIT000043	500	250	350	62	42	-	Segment	0,7		
FIT000044	500	315	415	62	42	-	Segment	1,0		
FIT000975	500	355	455	62	42	-	Segment	1,1		
FIT000795	500	400	500	75	55	-	Segment	1,4		
FIT000976	500	450	550	75	55	-	Segment	1,7		
FIT000796	500	500	600	90	70	-	Segment	2,0		
FIT000977	630	160	260	62	42	-	Segment	0,4		
FIT000978	630	200	300	62	42	-	Segment	0,5		
FIT000979	630	250	350	62	42	-	Segment	0,7		
FIT000980	630	315	415	62	42	-	Segment	0,9		
FIT000981	630	355	455	62	42	-	Segment	1,0		
FIT000982	630	400	500	75	55	-	Segment	1,3		
FIT000983	630	450	550	75	55	-	Segment	1,5		
FIT000984	630	500	600	90	70	-	Segment	1,9		
FIT000985	630	560	660	90	70	-	Segment	2,3		
FIT000986	630	630	730	90	70	-	Segment	2,6		
FIT000987	800	250	350	62	42	-	Segment	0,6		
FIT000988	800	315	415	62	42	-	Segment	0,8		
FIT000989	800	355	455	62	42	-	Segment	0,9		
FIT000990	800	400	500	75	55	-	Segment	1,2		
FIT000991	800	450	550	75	55	-	Segment	1,4		
FIT000992	800	500	600	90	70	-	Segment	1,7		
FIT000993	800	560	660	90	70	-	Segment	2,1		
FIT000994	800	630	730	90	70	-	Segment	2,6		
FIT000995	800	710	810	90	70	-	Segment	3,2		
FIT000996	800	800	900	90	70	-	Segment	3,7		

* - other diameters on request.

Saddle with sealing pressed BAU




BAU [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	H1 [mm]	H2 [mm]	Radius [R]	Pressed / Segment	Weight [kg]	Packing	Multipack
FIT000022	100	100	160	55	36	15	Pressed	0,2		
FIT000023	125	100	160	50	36	15	Pressed	0,2		
FIT000024	125	125	195	55	36	20	Pressed	0,3		
FIT000025	160	100	160	50	36	15	Pressed	0,2		
FIT000026	160	125	195	55	36	20	Pressed	0,3		
FIT000027	160	160	250	61	36	25	Pressed	0,5		
FIT000028	200	100	160	50	36	15	Pressed	0,2		
FIT000029	200	125	195	55	36	20	Pressed	0,3		
FIT000030	200	160	250	61	36	25	Pressed	0,4		
FIT000031	200	200	270	60	46	20	Pressed	0,5		
FIT000473	250	100	165	50	35	12	Pressed	0,1		
FIT000032	250	125	205	55	36	20	Pressed	0,2		
FIT000033	250	160	270	70	36	25	Pressed	0,5		
FIT000034	250	200	310	70	36	25	Pressed	0,6		
FIT000374	250	250	320	60	46	20	Pressed	0,6		

* - other diameters on request.





Saddle with sealing segment BA



BA [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	H1 [mm]	H2 [mm]	Radius [R]	Pressed / Segment	Weight [kg]	Packing	Multipack
FIT000873	315	100	160	62	42	-	Segment	0,2		
FIT000874	315	125	185	62	42	-	Segment	0,3		
FIT000875	315	160	220	62	42	-	Segment	0,4		
FIT000876	315	200	300	62	42	-	Segment	0,6		
FIT000877	315	250	350	62	42	-	Segment	0,7		
FIT000878	315	315	415	62	42	-	Segment	1,2		
FIT000879	355	355	455	62	42	-	Segment	1,4		
FIT000880	400	160	260	62	42	-	Segment	0,5		
FIT000881	400	200	300	62	42	-	Segment	0,6		
FIT000882	400	250	350	62	42	-	Segment	0,7		
FIT000883	400	315	415	62	42	-	Segment	0,9		
FIT000884	400	400	500	75	55	-	Segment	1,5		
FIT000885	450	355	455	62	42	-	Segment	1,1		
FIT000886	500	160	260	62	42	-	Segment	0,4		
FIT000887	500	200	300	62	42	-	Segment	0,5		
FIT000888	500	250	350	62	42	-	Segment	0,6		
FIT000889	500	315	415	62	42	-	Segment	0,9		
FIT000890	500	400	500	75	55	-	Segment	1,3		
FIT000891	500	500	600	90	70	-	Segment	1,9		

* - other diameters on request.

Saddle pressed with sealing pressed BA




BA [Item number]	d1 [mm]	d2 [mm]	L1 [mm]	H1 [mm]	H2 [mm]	Radius [R]	Pressed / Segment	Weight [kg]	Packing	Multipack
FIT000861	100	100	160	55	36	15	Pressed	0,2		
FIT000862	125	100	160	50	36	15	Pressed	0,2		
FIT000863	125	125	195	55	36	20	Pressed	0,3		
FIT000950	160	100	160	50	36	15	Pressed	0,2		
FIT000864	160	125	195	55	36	20	Pressed	0,3		
FIT000865	160	160	250	61	36	25	Pressed	0,4		
FIT000866	200	100	160	50	36	15	Pressed	0,2		
FIT000867	200	125	195	55	36	20	Pressed	0,3		
FIT000452	200	160	250	61	36	25	Pressed	0,4		
FIT000453	200	200	270	60	46	20	Pressed	0,4		
FIT000868	250	100	165	50	35	12	Pressed	0,1		
FIT000869	250	125	205	55	36	20	Pressed	0,2		
FIT000870	250	160	270	70	36	25	Pressed	0,4		
FIT000870	250	200	310	70	36	25	Pressed	0,6		
FIT000872	250	250	320	60	46	20	Pressed	0,6		

* - other diameters on request.



T-piece TCPU



TCPU [Item number]	d1 [mm]	d2 [mm]	H [mm]	L [mm]	L1 [mm]	L2 [mm]	Weight [kg]	Packing	Multipack
FIT000226	100	100	65	175	42	42	0,5		
FIT000227	125	100	78	175	42	42	0,6		
FIT000228	125	125	78	200	42	42	0,6		
FIT000230	150	150	95	260	42	42	0,7		
FIT000231	160	100	95	175	42	42	0,7		
FIT000232	160	125	95	200	42	42	0,9		
FIT000233	160	160	95	260	42	42	0,9		
FIT000804	200	100	115	175	42	42	1,0		
FIT000234	200	125	115	200	42	42	0,9		
FIT000235	200	160	115	260	42	42	1,0		
FIT000236	200	200	115	300	42	42	1,2		
FIT001067	250	100	140	175	42	42	1,3		
FIT000237	250	125	140	200	42	42	1,2		
FIT000238	250	160	140	260	42	42	1,3		
FIT000239	250	200	140	300	42	42	1,7		
FIT000240	250	250	140	350	42	42	1,7		
FIT001068	315	100	173	175	42	42	1,5		
FIT001263	315	125	173	200	42	42	2,2		
FIT001262	315	160	173	260	42	42	2,5		
FIT001071	315	200	173	300	42	42	2,2		
FIT001261	315	250	173	350	42	42	2,8		
FIT001260	315	315	173	415	42	42	2,8		
FIT001073	355	160	190	260	42	42	2,5		
FIT000242	355	200	190	300	42	42	2,3		
FIT001074	355	250	190	350	42	42	2,8		
FIT001075	355	315	190	415	42	42	3,2		
FIT001076	355	355	190	455	42	42	3,4		
FIT001259	400	160	215	260	55	42	3,0		
FIT001258	400	200	215	300	55	42	3,1		
FIT001257	400	250	215	350	55	42	3,1		
FIT001256	400	315	215	415	55	42	4,1		
FIT001255	400	400	215	500	55	55	4,1		
FIT001078	500	160	265	260	70	42	3,2		
FIT000247	500	200	265	300	70	42	4,4		
FIT001082	500	250	265	350	70	42	3,9		
FIT001083	500	315	265	415	70	42	4,4		
FIT001084	500	355	265	455	70	42	4,8		
FIT001085	500	400	290	500	70	70	6,0		


* - other diameters on request.



TCPU |

T-piece, with sealing

T-piece TCPU




TCPU [Item number]	d1 [mm]	d2 [mm]	H [mm]	L [mm]	L1 [mm]	L2 [mm]	Weight [kg]	Packing	Multipack
FIT001086	500	450	290	550	70	70	6,4		
FIT001087	500	500	290	600	70	70	6,9		
FIT001088	630	160	330	260	70	42	3,9		
FIT001089	630	200	330	300	70	42	4,3		
FIT001090	630	250	330	350	70	42	4,8		
FIT001091	630	315	330	415	70	42	5,5		
FIT001092	630	355	330	455	70	42	5,9		
FIT001093	630	400	355	500	70	70	7,3		
FIT001094	630	450	355	550	70	70	8,0		
FIT001095	630	500	355	600	70	70	8,5		
FIT001096	630	560	355	660	70	70	9,2		
FIT001097	630	630	355	730	70	70	9,9		
FIT001098	800	500	440	600	70	70	10,6		
FIT001099	800	630	440	730	70	70	12,3		
FIT001100	800	800	440	900	70	70	14,5		

* - other diameters on request.



T-piece TCP




TCP [Item number]	d1 [mm]	d2 [mm]	H [mm]	L [mm]	L1 [mm]	L2 [mm]	Weight [kg]	Packing	Multipack
FIT000221	100	100	65	175	42	42	0,4		
FIT000222	125	125	78	200	42	42	0,7		
FIT001105	160	160	95	260	42	42	0,8		
FIT001113	200	160	115	260	42	42	1,0		
FIT000223	200	200	115	300	42	42	1,0		
FIT000224	250	250	140	350	42	42	2,2		
FIT000225	315	315	173	415	42	42	3,4		

* - other diameters on request.

NF | NPU | NP


Couplings with and without sealing, Female

Coupling Female without sealing NF



NF [Item number]	D* [mm]	L [mm]	Weight [kg]	Packing	Multipack
FIT000117	100	78	0,1		
FIT000118	125	78	0,1		
FIT001239	140	78	0,1		
FIT000119	160	78	0,2		
FIT000922	200	78	0,2		
FIT000120	250	98	0,3		
FIT000923	315	98	0,3		
FIT000916	355	98	0,4		
FIT000121	400	158	0,4		
FIT001241	630	158	0,6		
FIT001240	800	158	0,8		

Coupling with sealing NPU




NPU [Item number]	D* [mm]	L [mm]	Weight [kg]	Packing	Multipack
FIT000085	100	63	0,1		
FIT000367	125	63	0,1		
FIT000086	150	63	0,2		
FIT000087	160	63	0,3		
FIT000088	200	63	0,3		
FIT000089	250	83	0,4		
FIT000090	315	83	0,5		
FIT000091	355	98	0,7		
FIT000092	400	143	1,2		
FIT000093	450	160	1,3		

* - nominal.
Other diameters on request.




Coupling with sealing NPU




NPU [Item number]	D* [mm]	L [mm]	Weight [kg]	Packing	Multipack
FIT000094	500	160	1,3		
FIT000095	560	160	1,6		
FIT000096	630	160	1,8		
FIT001011	710	210	3,5		
FIT000097	800	210	4,3		

Coupling without sealing NP



NP [Item number]	D* [mm]	L [mm]	Weight [kg]	Packing	Multipack
FIT000074	100	78	0,1		
FIT000075	125	78	0,1		
FIT001229	140	78	0,2		
FIT000076	160	78	0,2		
FIT000077	200	98	0,3		
FIT000078	250	98	0,3		
FIT000079	315	98	0,4		
FIT000080	355	98	0,6		
FIT000081	400	158	1,1		
FIT000082	450	158	1,2		
FIT000083	560	158	1,5		
FIT000084	630	158	1,7		

* - nominal.
Other diameters on request.

Take off with sealing FLAU


FLAU [Item number]	D* [mm]	H [mm]	Weight [kg]	Packing	Multipack
FIT000108	100	52	0,17		
FIT000109	125	52	0,20		
FIT000116	150	52	0,21		
FIT000110	160	52	0,22		
FIT000111	200	57	0,27		
FIT000112	250	62	0,49		
FIT000113	315	62	0,51		
FIT001009	355	62	0,92		
FIT000114	400	92	1,04		
FIT000115	500	92	1,15		
FIT000429	630	92	1,44		
FIT001010	800	92	3,04		


Take off without sealing FLA


FLA [Item number]	D* [mm]	H [mm]	Weight [kg]	Packing	Multipack
FIT000098	100	52	0,1		
FIT000099	125	52	0,1		
FIT000100	160	52	0,1		
FIT000101	200	57	0,1		
FIT000102	250	62	0,2		
FIT000103	315	62	0,3		
FIT000104	400	92	0,6		

* - nominal.
Other diameters on request.




Take off with sealing FLAU-R





FLAU-R [Item number]	D [mm]	H1 [mm]	H2 [mm]	Weight [kg]	Packing	Multipack
GFDFLAUR001	125	20	30	0,17		
GFDFLAUR003	160	30	30	0,16		
GFDFLAUR004	160	50	30	0,23		
GFDFLAUR005	200	30	30	0,29		
GFDFLAUR006	200	50	30	0,34		
GFDFLAUR007	250	30	40	0,39		
GFDFLAUR008	250	50	40	0,46		
GFDFLAUR009	315	50	40	0,57		
GFDFLAUR010	400	50	70	1,12		

Take off with sealing FLAU-RV



FLAU-RV [Item number]	D [mm]	D1 [mm]	d [mm]	Ø4,2 x n	H1 [mm]	H2 [mm]	Weight [kg]	Packing	Multipack
GFDFLAURV010	160	216	205	6	30	30	0,4		
GFDFLAURV011	160	216	205	6	50	30	0,5		
GFDFLAURV001	200	256	245	6	30	30	0,5		
GFDFLAURV006	250	306	295	6	30	40	0,7		



* - nominal.
Other diameters on request.

Flange with flexible connection LSVF


LSVF [Item number]	d [mm]	L1 [mm]	L2 [mm]	Weight [kg]	Packing	Multipack
FIT000805	80	45	60	0,16		
FIT000806	100	45	60	0,18		
FIT000304	125	45	60	0,21		
FIT000807	150	45	60	0,25		
FIT000305	160	45	60	0,26		
FIT000808	180	45	60	0,29		
FIT000306	200	45	60	0,32		
FIT000307	250	45	60	0,43		
FIT000809	300	45	60	0,52		
FIT000308	315	45	60	0,55		
FIT000309	355	45	60	0,64		
FIT000310	400	45	60	0,70		
FIT000810	450	45	60	0,78		
FIT000311	500	45	60	0,97		
FIT000811	560	45	60	0,84		
FIT000492	630	45	60	1,10		
FIT001308	710	45	60	1,24		
FIT000812	800	45	60	1,44		


* - other diameters on request.

Flexible connection LJ



LJ [Item number]	H [mm]	L1 [mm]	L2 [mm]	Weight [kg]	Packing	Multipack
FIT000312	95-115	400	200	0,4		
FIT000313	95-115	500	250	0,8		
FIT000314	95-115	500	300	0,7		
FIT000315	95-115	600	300	1,0		
FIT000316	95-115	600	350	1,0		
FIT000317	95-115	700	300	1,3		
FIT000318	95-115	750	300	1,4		
FIT000319	95-115	750	350	1,4		
FIT000320	95-115	800	500	1,3		
FIT000321	95-115	700	400	1,2		

Clamp sealing AP





AP [Item number]	D* [mm]	Weight [kg]	Packing	Multipack
FIT000059	100	0,17		
FIT000060	125	0,17		
FIT000061	150	0,18		
FIT000062	160	0,21		
FIT000063	200	0,26		
FIT000064	250	0,32		
FIT000065	315	0,38		
FIT000066	355	0,42		
FIT000067	400	0,48		
FIT000815	450	0,55		
FIT000442	500	0,58		
FIT000816	560	0,66		
FIT000817	630	0,77		
FIT000818	710	0,82		
FIT000819	800	0,92		

* - nominal.
 Other diameters on request.





Outlet cover AB



AB [Item number]	D* [mm]	L1 [mm]	L2 [mm]	S [mm]	Weight [kg]	Packing	Multipack
FIT000962	100	190	90	0,5	0,19		
FIT000963	125	215	90	0,5	0,25		
FIT000964	150	240	90	0,5	0,32		
FIT000965	160	250	90	0,5	0,36		
FIT000966	200	290	90	0,5	0,49		
FIT000967	250	340	90	0,5	0,69		
FIT001102	315	405	90	0,5	1,00		
FIT000968	355	445	90	0,7	1,70		
FIT001101	400	490	90	0,7	2,11		
FIT000969	450	540	90	0,7	2,60		
FIT000970	500	590	90	0,7	3,00		
FIT000971	630	720	90	0,7	4,60		
FIT000972	710	805	90	0,7	5,70		
FIT000973	800	895	90	1,0	10,00		



* - nominal.
Other diameters on request.

Grille outdoor WSG



WSG [Item number]	D* [mm]	d1 [mm]	L1 [mm]	L2 [mm]	L3 [mm]	L4 [mm]	L5 [mm]	A [mm]	Weight [kg]	Packing	Multipack
FIT000402	150	149	470	308	94	292	123	250	4,2		
FIT000403	160	159	470	308	94	292	123	260	4,3		
FIT000404	200	199	570	308	94	292	123	300	5,0		


* - nominal.


Deflector HN



HN [Item number]	d1 [mm]	d2 [mm]	d3 [mm]	L [mm]	L1 [mm]	L2 [mm]	L3 [mm]	S [mm]	Weight [kg]	Packing	Multipack
FIT000908	100	195	150	370	135	135	32	0,5	1,4		
FIT000949	125	240	185	440	170	170	32	0,7	2,0		
FIT000480	160	290	230	370	150	150	32	0,7	2,5		
FIT000905	200	360	300	500	210	210	32	0,7	3,7		
FIT000482	250	465	350	585	252	252	44	0,7	5,7		
FIT000478	315	558	417	670	285	285	44	0,7	7,5		
FIT000898	355	617	395	720	325	325	44	0,7	9,2		
FIT000479	400	672	450	720	325	325	57	0,7	10,2		

* - other diameters on request.

Roof cap VH 100-315



Roof cap VH 355-800




VH [Item number]	ØD [mm]	d1 [mm]	L [mm]	L2 [mm]	L3 [mm]	W1 [mm]	W2 [mm]	Weight [kg]	Packing	Multipack
FIT000438	100	195	195	30	60	0,7	0,5	1,1		
FIT000395	125	240	195	30	60	0,7	0,5	1,4		
FIT000427	160	310	220	30	85	0,7	0,5	2,0		
FIT000892	200	375	240	30	120	0,7	0,5	2,8		
FIT000893	250	470	250	40	110	0,7	0,5	3,8		
FIT000477	315	580	250	40	110	0,7	0,5	5,3		
FIT001079	355	720	510	44	185	1	0,5	9,1		
FIT000902	400	720	386	44	129	1	0,5	9,1		
FIT000899	500	900	460	70	180	1	0,5	14,8		
FIT001080	630	1152	510	70	230	1	0,5	23,2		
FIT001081	800	1450	620	70	285	1	0,5	35,0		

* - other diameters on request.



Ventilation cap SG 100-315




Ventilation cap SG 400-800



SG [Item number]	ØD [mm]	D [mm]	L [mm]	L1 [mm]	L2 [mm]	W [mm]	W1 [mm]	Weight [kg]	Packing	Multipack
FIT000797	100	210	137	62	30	0,5	0,5	0,5		
FIT000798	125	260	162	62	30	0,5	0,5	0,6		
FIT000474	160	320	188	62	30	0,5	0,5	0,8		
FIT000799	200	400	222	62	30	0,5	0,5	1,3		
FIT000800	250	500	257	62	40	0,5	0,5	1,9		
FIT000801	315	640	312	62	40	0,7	0,7	3,1		
FIT001056	400	800	380	75	50	0,7	1,5	4,4		
FIT001057	500	1000	456	75	50	0,7	1,5	6,5		
FIT001058	630	1261	604	105	50	1	1,5	10,2		
FIT001059	800	1500	642	103	50	1	1,25	29,2		

* - other diameters on request.


Profile UP




UP [Item number]	H [mm]	Weight [kg]	Packing	Multipack
FIT000476	2500	2,0		
FIT000920	2000	1,6		




P1




P2




P4




P6



P12



P24



Code	Lenght [mm]	With [mm]	Height [mm]	Weight [kg]	Volume [m³]	Box/Pallet
P1	1200	800	800	4,63	0,770	1
P2	600	800	800	2,83	0,380	2
P4	600	400	800	1,34	0,190	4
P6	400	400	800	1,04	0,130	6
P12	400	400	400	0,71	0,064	12
P24	400	400	200	0,52	0,032	24